


F I G. 1

2 / 20




F I G. 2

Title: METHOD OF TREATING WASTE
FROM NUCLEAR FUEL HANDLING
FACILITY AND APPARATUS
CARRYING OUT THE SAME

Inventor(s): Naruhito KONDO et al.

Appl. No.: Div. of 09/393,317

3 / 20



F I G. 3

4 / 20




FIG. 4

5 / 20




FIG. 5


106280 22504560

Title. METHOD OF TREATING WASTE
FROM NUCLEAR FUEL HANDLING
FACILITY AND APPARATUS
CARRYING OUT THE SAME

Inventor(s): Naruhito KONDO et al.

Appl. No.: Div. of 09/393,317


6 / 20



F I G. 6




Figure 1 consists of 12 sub-diagrams labeled (a) through (l), arranged in a single column. Each diagram shows a 2x2 grid of squares. In (a), the top-right square is shaded. In (b), the top-left square is shaded. In (c), the bottom-left square is shaded. In (d), the bottom-right square is shaded. In (e), the top-right square is shaded. In (f), the top-left square is shaded. In (g), the bottom-left square is shaded. In (h), the bottom-right square is shaded. In (i), the top-right square is shaded. In (j), the top-left square is shaded. In (k), the bottom-left square is shaded. In (l), the bottom-right square is shaded.



F I G. 8

9 / 20



F I G. 9

094093-022901

10/20






FIG. 10

11 / 20



12 / 20



F I G. 12

13 / 20




FIG. 13

Title: METHOD OF TREATING WASTE
FROM NUCLEAR FUEL HANDLING
FACILITY AND APPARATUS
CARRYING OUT THE SAME

Inventor(s): Naruhito KONDO et al.

Appl. No.: Div. of 09/393,317

14 / 20





FIG. 14

Title. METHOD OF TREATING WASTE
FROM NUCLEAR FUEL HANDLING
FACILITY AND APPARATUS
CARRYING OUT THE SAME

Inventor(s): Naruhito KONDO et al.

Appl. No.: Div. of 09/393,317

15 / 20



F I G. 15





FIG. 16

FIG. 16

17 / 20



F I G. 17

18 / 20






FIG. 18



F I G. 19

094030-2E604560



PRIOR ART

F I G. 20